


Family data sheet

MAGNET OPAL

LED light bar in 2 lengths (301mm and 600mm), with opal PMMA cover, easy installation with click magnet, magnetic rail accessories and converter to be ordered separately, max. Track length 20m or 450W per feed



CHARACTERISTIC

- LED light bar with opal cover
- Standard reflector 110 °
- Voltage 24V DC (order converter separately)



Product overview:

Types:



length 301mm



length 600mm

Light color:



2700K super warm white



3000K warm white

Technical information:



2700K

LED:	CREE LED	
Length:	301mm	600mm
Total Watt:	9W	18W
Net lumen:	974lm	1948lm
Kelvin (CCT):	2700K	2700K
Reflector:	110° (Standard)	
CRI:	>90Ra	
Protection:	IP20	
Protection class:	3	
Life expectancy:	L70/B10 = 50.000h	
Voltage:	220~240V AC/ 48V DC	
Dimmability:	DALI	
Converter:	excluding external converter	

3000K

LED:	CREE LED	
Length:	301mm	600mm
Total Watt:	9W	18W
Net lumen:	991lm	1982lm
Kelvin (CCT):	3000K	3000K
Reflector:	110° (Standard)	
CRI:	>90Ra	
Protection:	IP20	
Protection class:	3	
Life expectancy:	L70/B10 = 50.000h	
Voltage:	220~240V AC/ 48V DC	
Dimmability:	DALI	
Converter:	excluding external converter	

Drawings:



item number	watt	1 kelvin	2 reflector	3 color	control
LW48-MO3-1-2-3	9W	» 2700 « » 3000 «	» 110 « 110° (Standard)	» B « black	DALI
LW48-MO6-1-2-3	18W				

