

Product family

CLIO 10

Luminaires equipped with COB LED with high light output, made of anodized aluminum, suitable for installation in particularly aggressive environments, no separate converter required (230V DC)



ADVANTAGES

- no separate converter required (230V DC)

CHARACTERISTIC

- Anodized aluminum spotlight
- 3 selectable housing colors
- Degree of protection IP65
- LED beam angle standard 28°
- Other light colors and beam angles on request.




Product overview::

Types:



CLIO 10



Ground spike
(optional)

Light emission:



direct

Housing colors:



aluminum




bronze




black

Angle:




28°

Standard



16°

(on request)



42°

(on request)


Light colors:



2700K superwarm white




3000K warm white



4000K neutral white
(on request)

Drawings:



Article overview:

item number	type	① angle	② kelvin	③ color
FL-CP1 ① ② ③	CLIO 10 LED 107W 230V DC	» 23 « 28°	» 0 « 2700K » 1 « 3000K	» A « aluminum » B « bronze » N « black
FL-CP0022	ground spike			

Technical information:

CLIO 10

Total watt:	10W	
Net lumen:	890lm	1000lm
Kelvin (CCT):	2700K	3000K
Angle:	28° Standard	
CRI:	>85Ra	
Light emission:	direct	
Protection:	IP65	
Life expectancy:	50.000h	
Voltage:	100~230V AC/ 230V DC	