

Product family

LEWORI

Pendant lamp made of aluminum, seamlessly welded, housing in fine structure black RAL9005), silver (RAL9006) or white (RAL9016), with opal PMMA cover, direct or direct / indirect light emission, equipped with highly efficient LED boards, CRI > 90Ra, incl. suspension material (h = 2200mm), incl. Internal converter, optional: DALI/ SwitchDim



CHARACTERISTIC

- available as ceiling or pendant lamp
- made of extruded aluminum profile
- housing colors black matt (RAL9005), silver (RAL9006) or matt white (RAL9016) powder coated
- degree of protection IP20
- optionally not dimmable or DALI / SwitchDIM
- LED brand boards
- converter does not integrate dimmable or DALI / SwitchDIM



Product overview:

Installation:




pendant



ceiling

Light emission:



direct



direct/ indirect

Housing color:



RAL9005 black matt



RAL9006 aluminum matt



RAL9016 white matt

LED:



LOW




HIGH

Light color:




3000K warm white



4000K neutral white

Control:




switchable (Standard)




DALI dimmable


Drawings:



direct



direct/ indirect



Article overview:

item number	1 light emission	installation	2 diameter	3 kelvin	4 LED board	5 color	6 dimmable
LS-RI-1-P-2-3-4-5-6	» D « direct » IN « direct/ indirect	» P « pendant	» 765 « ø 765mm » 935 « ø 935mm » 1235 « ø 1235mm	» 3000 « » 4000 «	» LO « LOW » HI « HI	» B « black » S « silver » W « white	» D « DALI, SwitchDimm

Technische Informationen:

Ø 765mm

LED:	Fortimo LED Strip Gen4	
Total watt:	36W (LOW)	
Net lumen:	2826lm	2932lm
Kelvin (CCT):	3000K	4000K
Total watt:	52W (HIGH)	
Net lumen:	4037lm	4189lm
Kelvin (CCT):	3000K	4000K
CRI:	>90Ra	
Light emission:	direct	
Life expectancy:	50.000h	
Voltage:	100~240V AC/ 230V DC	

LED:	Fortimo LED Strip Gen4	
Total watt:	52W (LOW)	
Net lumen:	3613lm	3750lm
Kelvin (CCT):	3000K	4000K
Total watt:	75W (HIGH)	
Net lumen:	5162lm	5357lm
Kelvin (CCT):	3000K	4000K
CRI:	>90Ra	
Light emission:	direct/ indirect	
Life expectancy:	50.000h	
Voltage:	100~240V AC/ 230V DC	

Ø 935mm

LED:	Fortimo LED Strip Gen4	
Total watt:	42W (LOW)	
Net lumen:	3639lm	3776lm
Kelvin (CCT):	3000K	4000K
Total watt:	60W (HIGH)	
Net lumen:	5198lm	5394lm
Kelvin (CCT):	3000K	4000K
CRI:	>90Ra	
Light emission:	direct	
Life expectancy:	50.000h	
Voltage:	100~240V AC/ 230V DC	

LED:	Fortimo LED Strip Gen4	
Total watt:	62W (LOW)	
Net lumen:	4908lm	5094lm
Kelvin (CCT):	3000K	4000K
Total watt:	89W (HIGH)	
Net lumen:	6757lm	7012lm
Kelvin (CCT):	3000K	4000K
CRI:	>90Ra	
Light emission:	direct/ indirect	
Life expectancy:	50.000h	
Voltage:	100~240V AC/ 230V DC	

Ø 1235mm

LED:	Fortimo LED Strip Gen4	
Total watt:	57W (LOW)	
Net lumen:	4555lm	4728lm
Kelvin (CCT):	3000K	4000K
Total watt:	82W (HIGH)	
Net lumen:	6508lm	6754lm
Kelvin (CCT):	3000K	4000K
CRI:	>90Ra	
Light emission:	direct	
Life expectancy:	50.000h	
Voltage:	100~240V AC/ 230V DC	

LED:	Fortimo LED Strip Gen4	
Total watt:	84W (LOW)	
Net lumen:	6340lm	6580lm
Kelvin (CCT):	3000K	4000K
Total watt:	119W (HIGH)	
Net lumen:	8728lm	9058lm
Kelvin (CCT):	3000K	4000K
CRI:	>90Ra	
Light emission:	direct/ indirect	
Life expectancy:	50.000h	
Voltage:	100~240V AC/ 230V DC	