


Product Family

LEWO38

Linear profile systems for individual room designs, made of extruded aluminum profile, available as Surface-mounted, pendant and recessed luminaires, a wide range of variants for project-specific requirements (opal polycarbonate covers, LFO light points, reflectors as well as spotlight and pendant light modules) using the click system usable, technically highly efficient LED technology with branded boards, available in the light colors 2700K and 3000K (on request also possible in 4000K), optionally not dimmable or DALI / SwitchDIM




ADVANTAGES

- modular modular system (approx. 20 types to choose)
- through wiring
- easy assembly or replacement by means of
- CLICK elements
- converter does not integrate dimmable or DALI / SwitchDIM

CHARACTERISTICS

- available as ceiling-, pendant-, or recessed profile
- made of extruded aluminum profile
- Housing colors anodized aluminum, matt black (RAL9005) or white matt (RAL9016) powder coated
- Click module with spotlight LEWO SPOT and Pendant lamp STRING available in black and white
- protection rate IP20
- Click module with spotlight LEWO SPOT or pendant lamp
- glare-free light UGR value of <19 guaranteed with click module with lenses and with reflectors
- LED brand boards or stripes
- LED brand boards or stripes




PRODUCT OVERVIEW


Mounting:



pendant



ceiling



recessed


Housing colors:



RAL9005 yet black matt




anodized aluminum



RAL9016 traffic white matt


Click modules:



with module cover PMMA
opal / flat



with module cover PMMA
opal / high




with module cover alu




with module LEWO SPOT



with module STRING



with reflector module



with module lenses



with wallwasher



