

## Product family

# ART-FLASH-MINI

LED track spotlight for 3ph. track, equipped with first-class LED board, rotatable and swiveling, CRI> 90Ra, LED Premium White for perfect white reproduction and saturated colors, various reflectors (22° - 30°), protection class: IP20, with passive cooling, including converter, available in light color: 3000K and 4000K, standard or DALI dimmable, housing colors: black/black, aluminum gray/black or white/black



## ADVANTAGES

- LED Premium White for perfect white reproduction
- Standard or DALI dimmable

## CHARACTERISTIC

- can be rotated 350 ° and swiveled 180 °
- housing colors black / black, aluminum gray / black or white / black
- degree of protection IP20
- LED beam angle 22 ° (standard)



Product overview:

Housing color:



black / black



silver / black




white / black

Light emission:




direct

Reflector:



22° (Standard)




30° (on request)

Light color:




3000K warm white



4000K neutral white

Control:




switchable (Standard)



DALI dimmable

Drawings:



Technical information:

Total watt:	25W	
Net lumen:	1998lm	2161lm
Kelvin (CCT):	3000K	4000K
Protection:	IP20	
Beam Angle:	22° (Standard)	
CRI:	>90Ra	
Life expectancy:	50.000 hours	
Voltage:	100~240V AC/ 230V DC	

item number	watt	1 kelvin	2 reflector	3 color	4 dimnable
LW-AFM-1-2-3-4	25W	» 3000 « » 4000 «	» 22 « 22° (Standard)	» B « black / black » S « silver / black » W « white / black	» DA « DALI