

Product family

TUBE XL

LED track spotlight for 3ph. track, equipped with first-class LED board, rotatable and swiveling, CRI> 90Ra, LED Premium White for perfect white reproduction and saturated colors, incl.micro-reflector 25°, protection class: IP20, with passive cooling, incl.Philips converter (not dimmable - also dimmable on request), available in light color: 3000K and 4000K, housing colors: black/black



ADVANTAGES

- LED Premium White for perfect white reproduction
- Philips converter (energized with 884mA)
- dimmable on request

CHARACTERISTIC

- can be rotated 350° and swiveled 90°
- housing colors black / black
- degree of protection IP20
- LED beam angle 25°


Product overview:

Housing color:




black / black

Light emission:



direct

Reflector:




25° (Standard)

Light color:




3000K warm white




4000K neutral white

Control:



switchable (Standard)

Drawings:



Technical information:

Total watt:	38W	
Net lumen:	3000lm	3200lm
Kelvin (CCT):	3000K	4000K
Protection:	IP20	
Beam Angle:	22° (Standard)	
CRI:	>90Ra	
Life expectancy:	50.000 hours	
Voltage:	884mA/ 230V DC	

item number	watt	① kelvin	② reflector	③ color
LW-AFT-XL-① ② ③	38W	» 3000 « » 4000 «	» 22 « 22° (Standard)	» B « black / black