


Product family

STANDARD STRIPES IP20

Flexible LED-stripe with adhesive back, long life span up to 50.000 hours, excl. converter, excl. cooling profile, max. length per power input: 5m, available per meter



CHARACTERISTIC

- 5 wattages to choose from
- Color temperature 2700K, 3000K, 4000K, RGB, RGB+W
- Degree of protection: IP20
- Protection class: 3
- CRI > 95Ra
- CRI > 80Ra (RGB + RGB + W)
- Output voltage 24V DC

SPECIAL FEATURE

- Standard Stripes - older generation of LED stripes



Product overview:

Types:




LW-FLEX-13 STANDARD



LW-FLEX-21 STANDARD



LW-FLEX-26 STANDARD



LW-FLEX-RGB+W



LW-FLEX-RGB


Licht color:



2700K super warm white



3000K warm white



4000K neutral white



RGB+W (3000K)



RGB

Technical information::

LW-FLEX-13 STANDARD

LED:	2835 High Brightness SMD LED		
Total watt:	13W/ Meter		
Net lumen:	1125lm/m	1195lm/m	1150lm/m
Kelvin (CCT):	2700K	3000K	4000K
CRI:	>95Ra		
Number of LEDs:	60 LEDs/ Meter		
Life expectancy:	50.000 Hours		
Voltage:	24V DC		

LW-FLEX-21 STANDARD

LED:	2835 High Brightness SMD LED		
Total watt:	21W/ Meter		
Net lumen:	1807lm/m	1902lm/m	1997lm/m
Kelvin (CCT):	2700K	3000K	4000K
CRI:	>95Ra		
Number of LEDs:	96 LEDs/ Meter		
Life expectancy:	50.000 Hours		
Voltage:	24V DC		

LW-FLEX-26 STANDARD

LED:	2835 High Brightness SMD LED		
Total watt:	26W/ Meter		
Net lumen:	2242lm/m	2360lm/m	2478lm/m
Kelvin (CCT):	2700K	3000K	4000K
CRI:	>95Ra		
Number of LEDs:	120 LEDs/ Meter		
Life expectancy:	50.000 Hours		
Voltage:	24V DC		

LW-FLEX-RGB+W


LED:	5050 High Brightness SMD LED			
Total watt:	18W/ Meter			
Net lumen:	98lm/m	362lm/m	90lm/m	320lm/m
Kelvin (CCT):	Red	Green	Blue	White
CRI:	>80Ra			
Number of LEDs:	60 LEDs/ Meter			
Life expectancy:	50.000 Hours			
Voltage:	24V DC			

LW-FLEX-RGB


LED:	5050 High Brightness SMD LED		
Total watt:	23W/ Meter		
Net lumen:	230lm/m	550lm/m	120lm/m
Kelvin (CCT):	Red	Green	Blue
CRI:	>80Ra		
Number of LEDs:	96 LEDs/ Meter		
Life expectancy:	50.000 Hours		
Voltage:	24V DC		

Drawings:


LW-FLEX-13 STANDARD




LW-FLEX-21 STANDARD




LW-FLEX-26 STANDARD



LW-FLEX-RGB+W



LW-FLEX-RGB



Article overview:

item number	product name	W	K	lm	IP	CRI	...
LW24-SW-13-IP20	LW-FLEX-13 STANDARD	13W/m	2700K	1125lm/m	IP20	95Ra	60/m
LW24-VW-13-IP20	LW-FLEX-13 STANDARD	13W/m	3000K	1195lm/m	IP20	95Ra	60/m
LW24-NW-13-IP20	LW-FLEX-13 STANDARD	13W/m	4000K	1150lm/m	IP20	95Ra	60/m
LW24-SW-21-IP20	LW-FLEX-21 STANDARD	21W/m	2700K	1807lm/m	IP20	95Ra	96/m
LW24-VW-21-IP20	LW-FLEX-21 STANDARD	21W/m	3000K	1902lm/m	IP20	95Ra	96/m
LW24-NW-21-IP20	LW-FLEX-21 STANDARD	21W/m	4000K	1997lm/m	IP20	95Ra	96/m
LW24-SW-26-IP20	LW-FLEX-26 STANDARD	26W/m	2700K	2242lm/m	IP20	95Ra	120/m
LW24-VW-26-IP20	LW-FLEX-26 STANDARD	26W/m	3000K	2360lm/m	IP20	95Ra	120/m
LW24-NW-26-IP20	LW-FLEX-26 STANDARD	26W/m	4000K	2478lm/m	IP20	95Ra	120/m
LW24-RGBW-18-IP20	LW-FLEX-RGB+W	18W/m	RGB+W 3000K	R = 98lm/m G = 362lm/m B = 90lm/m W = 320lm/m	IP20	80Ra	60/m
LW24-RGB-23-IP20	LW-FLEX-RGB	23W/m	RGB	R = 230lm/m G = 550lm/m B = 120lm/m	IP20	80Ra	96/m

