

Product family

LW-FLEX-TWOCOLOR

Flexible LED strips with self-adhesive back, lifespan up to 50,000 hours, excl. Converter / control unit, excl. cooling profile, max. Length per feed: 5m, available per linear meter



CHARACTERISTIC

- 19.2W / meter or 32W / meter
- Color temperature adjustable 2000K-6000K
- Degree of protection: IP20
- Protection class: 3
- CRI> 90Ra
- Output voltage 24V DC


SPECIAL FEATURE

- Adjustable LED color temperature between 2000K or 2700K and 6000K.




Product overview:

Types:



LW-FLEX-TWOCOLOR 19.2W



LW-FLEX-TWOCOLOR 32W

Light colors:



2700K - 6000K



2000K - 6000K

Technical information:

LW-FLEX-TWOCOLOR 19.2W


LED:	2835 High Brightness SMD LED
Total watt:	19.2W/ Meter
Net lumen:	2x 660lm/m, 2x 696lm/m, 2x 720lm/m
Kelvin (CCT):	2700K - 6000K
CRI:	>90Ra
Number of LEDs:	120 LEDs/ meter
Life expectancy:	50.000 hours
Voltage:	24V DC

LW-FLEX-TWOCOLOR 32W


LED:	2835 High Brightness SMD LED
Total watt:	32W/ Meter
Net lumen:	1210lm/m - 1847lm/m
Kelvin (CCT):	2000K - 6000K
CRI:	>90Ra
Number of LEDs:	168 LEDs/ meter
Life expectancy:	50.000 hours
Voltage:	24V DC

Drawings:

LW-FLEX-TWOCOLOR 19.2W



LW-FLEX-TWOCOLOR 32W



Article overview:

item number	product name	W	K	lm	IP	CRI	...
LW24-CWSW-19-IP20	LW-FLEX-TWOCOLOR 19.2W	19,2W/m	2700K - 6000K	per Chip 2x 660lm/m 2x 696lm/m 2x 720lm/m	IP20	90Ra	120/m
LW24-CWSW-32-IP20	LW-FLEX-TWOCOLOR 32W	32W/m	2000K - 6000K	1210lm/m - 1847lm/m	IP20	90Ra	168/m