


Family data sheet

WALL-120

Wall lamp made of aluminum, housing available in 3 colors, equipped with highly efficient LED boards 2x 3W, CRI> 80Ra, direct / indirect light distribution, light emission angle individually adjustable, suitable for indoor and outdoor use (IP20 and IP65), including fastening material, no separate Converter required (230V DC)



ADVANTAGE

- direct / indirect distribution
- 230V DC - no separate converter required
- light emission individually adjustable
- suitable for indoor and outdoor use (IP20 / IP65)


CHARACTERISTIC

- housing colors selectable black (RAL9005), silver (RAL9006) or white (RAL9016)
- degree of protection IP20 and IP65



Product overview:

Light emission:



direct



direkt/ indirect

Housing colors:



black (RAL9005)




silver (RAL9006)




white (RAL9016)

Light colors:



3000K warm white

Drawings:



Technical information:

Total watt:	2x 3W
Net lumen:	2x 236lm
Kelvin (CCT):	3000K
Angle:	87°
CRI:	>80Ra
Beam Angle:	direct /indirect
Life expectancy:	50.000h
Voltage:	100~230V AC/ 230V DC

article number	type	color	assembly
LW-W-120-B-IP	WALL-120	●	LED 2x3W, 2x 236lm, 3000K
LW-W-120-S-IP		●	
LW-W-120-W-IP		○	